






Fenders, Floats & Buoys

Top quality made in Holland



Fenders




Star Fender

	 Diameter	 Length	 KG	Volume
	cm	cm		ltr
0.	10	40	0.4	2
1.	12	45	0.7	4
2.	15	58	1.1	8
2a.	18	60	1.3	13
3.	21	62	1.8	18
4.	24	70	2.4	27
5.	30	90	4.0	56



Starfender
reinforced ribs

Combi Fender

	 Diameter	 Length	 KG	Volume
	cm	cm		ltr
1.	12	45	0.5	4
2.	15	52	0.8	6
3.	21	64	1.6	19
4.	30	82	3.0	40



Combifender
ribs on top

"Majoni is flexible and offers top quality for the best price"




Largest assortment fenders

With more than 16 fendertypes Majoni has the largest assortment fenders in the world. Different shapes for different purpose and taste. Every fender is available in 12 colours with optional blue or black top with an extra strong shiny top layer.

Available COLOURS:






Classic Fender

	 Diameter cm	 Length cm	 KG	Volume ltr
1.	12	48	0.7	4
2.	14	53	1.0	6
3.	17	58	1.4	11
4.	21	64	1.9	18
5.	23	72	2.3	25
6.	27	81	3.6	39



Classicfender
with solid top

Cylinder Fender

	 Diameter cm	 Length cm	 KG	Volume ltr
0.	9	30	0.3	1
1.	10	42	0.4	2
2.	12	55	0.9	4
3.	16	60	1.2	8
4.	22	65	2.0	17
5.	25	80	3.0	26
6.	30	90	4.0	42






Cylinderfender
matted top



We focus on environment with selected materials and an internal recycling process.




Heavy Duty Fender

	 Diameter cm	 Length cm	 KG	Volume ltr
1.	13	54	0.9	5
2.	15	65	1.4	9
3.	20	75	2.0	18
4.	25	85	3.0	30
HD Mega 1	35	110	5.0	60
HD Mega 2	45	140	8.0	147



Heavy duty fender

Korf Fender

	 Diameter cm	 Length cm	 KG	Volume ltr
1.	9	30	0.3	2
2.	12	42	0.6	4
2a.	12	55	0.75	5
3.	15	60	1.2	9
4.	19	68	1.8	16
5.	22	72	2.4	23
6.	25	80	3.0	34
7.	30	90	4.0	56



Eco fender serie






Your own logo!

Brand your fender with your own logo.
Your logo is produced within the fender, integrated in our production process.
The logo will not come off.

Available COLOURS:



Drop Fender




	 Diameter cm	 Length cm	 KG	Volume ltr
1.	12	45	0.7	5
2.	15	58	1.1	10
3.	21	62	1.8	20
4.	24	75	2.4	30
5.	30	90	4.0	50



Single-eye fender

Centerhole Fender

 hole diameter is 16 mm

	 Diameter cm	 Length cm	 KG	Volume ltr
1.	10	30	0.5	2
2.	15	43	0.9	6
3.	20	55	1.8	13
4.	25	68	2.4	25
5.	30	80	3.4	42



Through-hole fender serie

"Top quality made in Holland"

With a history dating back to 1952 Majoni is the first and leading developer and producer of fenders. Our range of boat fenders guarentuee the best quality for the best price and offer the highest level of protection to your boat.



Angle Fender

Diameter	Length	KG
cm	cm	
15	32	0.7

Low freeboard protection



Fender Chair

75 x 65 x 82 cm

Comfortable seat
unique design



Mega Fender

	Diameter	Length	KG
	cm	cm	
1.	35	110	4.5
2.	45	140	7.6
3.	60	160	13



Roll Fender

	Diameter	Length	KG
	cm	cm	
1.	26	78	3.0
2.	26	110	3.5
3.	26	126	4.5






"Easy inflation and deflation"

Inflation Guide




In all our fenders and buoys we use an unique strong brass valve for easy inflation and deflation. The best way to inflate a fender is just pushing air pressure from a compressor with a flat head against the valve and the fender will inflate. It is also possible to inflate the fender with a bicycle/car pump with the special adaptor. Please do not use a handset with a pin to inflate, because the pin can damage the valve. The best inflation pressure is 0.2 bar. This is the pressure where you should be able to press the body of the fender visible easy with your flat hand.

Pick-up Fender

	 Diameter cm	 Length cm	 KG
1.	15	35	0.7
2.	18	40	0.9






Dumpy Fender

	 Diameter cm	 Length cm	 KG
1.	15	30	0.7
2.	18	36	0.9



Pear Fender

	 Diameter cm	 Length cm	 KG
2.	15	38	0.7
3.	18	48	1.1
4.	22	68	2.1



Ring Fender

	 Diameter cm	 Length cm	 KG
	10	33	0.9



Available COLOURS:



Majoni Keyrings

Keeps your key floating. With stainless steel ring.
Fenders are available with your own logo!



Valve

Our brass valve for easy inflation and deflation.



Adaptor

For easy inflation and deflation with a bicycle or car tire pump.



For deflating just push a pen slightly in the valve to let the air out. When a valve is leaking you don't have to replace your fender. You can replace the valve with turning in a bolt M3 (or a woodscrew) and pull it out with a pair of tongs. After inspecting you can push a valve back in the tube with your hand or a pen.

Marine Bucket

26 cm diameter - 7 liter



made of marine grade vinyl

Horseshoe Buoy & Fender

Width cm	Depth cm	Length cm	KG
50	10	52	3.0



Arc Fender

Diameter cm	Width cm	Length cm	KG
20	54	43	2.5



Stairs Fender

	Width cm	Depth cm	Length cm	KG
One step	25	12	35	2.0
Two step	25	12	55	3.0
Three step	25	12	75	4.0
Four step	25	12	95	5.5




"Quality as guarantee"

- * dedicated quality control system
- * more than 60 years of excellence
- * own special recipe of a strong UV-resistant marine grade of vinyl

Bow Buoy

Bowbuoy Big
1.8 kg

A = 52 cm
B = 41 cm
C = 37 cm
D = 51 cm



Bowbuoy small
0.65 kg

A = 37 cm
B = 28 cm
C = 23 cm
D = 32 cm



Bow Fender

Width cm	Length cm	KG
14	60	1.8



Available
COLOURS:



Slim Fender

Diameter cm	Length cm	KG
5	43	0.45



Lady Fender

Width cm	Depth cm	Length cm	KG
25	22	84	4.0



Flat Fender

Width cm	Depth cm	Length cm	KG
12	6	45	1.2







Quality test points:

- * carefully selected top quality materials and suppliers
- * several external control points from production to packaging
- * 24-hour thorough testing for leakage
- * easy inflation and deflation test
- * controls all over the proces





Dockfenders

Jetty Fender

	 Width cm	 Depth cm	 Length cm	 KG
Mini	10	7	25	0.30
Corner	10	7	31	0.70
Straight	10	7	50	0.85







Blockfender

	 Width cm	 Depth cm	 Length cm	 KG
Block 50	12	7	50	1.4
Block 100	12	7	100	2.0
Block 100 Flex	12	7	100	2.0







Dock Fenders


	 Width cm	 Depth cm	 Length cm	 KG
Dock 1 Flex	19	19	100	3.6
Dock 2	24	24	110	6.0



"Majoni has a very flexible and efficient production system"

Multi Fender




				
	Width cm	Depth cm	Length cm	KG
Multifender	30	8	60	3.0
Multi strip	7	6	60	1.0
Multi diamond	15	15	65	1.5



Available COLOURS:






Dockwheel with or without plastic bracket

		
Width cm	Length cm	KG
30	15	1.2







Vat Fender heavy duty dockwheel

		
Width cm	Length cm	KG
40	40	5.0



Buoys & Floats

Anchor Buoy

	 Diameter cm	 Length cm	 KG	 Ltr
1eye	35	40	0.9	22
2eye	35	46	0.9	22







Float Buoy

	 Diameter cm	 Length cm	 KG	 Ltr
0.	9	11	0.10	0.3
1.	15	21	0.25	2
1a.	18	24	0.40	3
2.	21	28	0.50	4
3.	26	36	0.75	8



Float 0 - also waterfilled available

Solid Head Buoy

	 Diameter cm	 Length cm	 KG	 Ltr
1.	35	48	1.5	21
2.	45	62	2.8	45
3.	55	73	3.8	83
4.	65	88	5.4	139
5.	85	105	7.5	314

optional: stainless steel eye



Available COLOURS:

"Majoni fender and buoys works wonderfully"

Savingline Warpring

inner diameter: 11 cm
outer diameter: 18 cm



Nett Buoy

Diameter cm	Length cm	KG	Lit
20	16	0.40	1.8



Besto Buoy

1. Besto Buoy 60cm - 1.6kg
inner diameter: 35 cm
outer diameter: 60 cm
2. Besto Buoy 2.5 kg - MED 
inner diameter: 45 cm
outer diameter: 75 cm
3. Besto Buoy 4.5 kg - MED 
inner diameter: 45 cm
outer diameter: 75 cm

SOLAS APPROVED
WHEELMARKED 

MARINE EQUIPMENT DIRECTIVE
INTERNATIONAL MARITIME RESOLUTIONS



Fender LifeBuoy

Life Buoy made of fender material

inner diameter: 40 cm
outer diameter: 60 cm

Colours:

- orange with white strip
- white with red strip







*Best Quality Lifebuoys
made by Majoni!*

- * High buoyancy
- * Selection of best European materials
- * Produced with special technique -> no tension in material
- * Solas tape completely around the buoy -> visible in every way









Majoni float 7x5cm

 Diameter	 Length	 KG	 hole
cm	cm		cm
7	5	0.10	1

made of fender material (soft)



Dura Float - foam filled

	 Diameter	 Length	 KG	 hole
	cm	cm		cm
1.	13.5	17.5	0.3	3
2.	20	20	0.8	3
3.	40	70	7.5	5



Dura float Stopper



Dura float Tube

16 mm inner - 20 mm outer diameter
Length on request - colour white or transparent



"Majoni is a family business with personal commitment"







Available COLOURS:





Mooring Buoy - foam filled

Available with or without rod





∅ hole diameter is 3 cm


	 Diameter cm	 Length cm	 KG	 Ltr
short				
1.	30	60	3.2	11
2.	40	80	5.0	29
3.	50	90	7.5	58
long				
1.	40	115	5.5	28
2.	50	140	8.0	57



Mooring Buoy

∅ hole diameter is 3 cm

	 Diameter cm	 Length cm	 KG	 Ltr
short				
1.	30	60	3.0	11
2.	40	80	4.5	29
3.	50	90	5.5	60
4.	60	100	7.0	106
long				
1.	40	115	5.0	28
2.	50	140	6.5	59
3.	60	165	8.0	105



"Majoni makes at request efficiently special products"



Fenders, Floats & Buoys

Top quality made in Holland



 **0031(0)488-481441**

 **info@majoni.nl**



majoni.nl

Majoni Plastics B.V.

Panhuizerweg 2 - 4041 CN Kesteren - The Netherlands